



# ILLUSTRATED PARTS BREAKDOWN

# 660QH PEDESTAL SYSTEM

## ILLUSTRATED PARTS BREAKDOWN (IPB)

The IPB is used to identify a part and its location in a hardware product. The document references specific item numbers in the associated parts list.

## HOW TO USE THE IPB

1. Locate the figure containing the item of interest.
2. Locate the number (callout) of the item of interest.
3. Locate that item number in the associated parts list.

## FORMAT

Each IPB is generally organized based on its first figure. All other assemblies and subassemblies are referenced from this figure. Each figure contains numeric callouts of all major parts (items).

## PARTS LIST

Each parts list contains the following:

**Figure and Item No.** - Lists the figure number and its referenced numeric callout.

**Description** - Presents the name and a brief description of the item. A single asterisk (\*) preceding the description

denotes item is a subassembly to its referenced figure. A double asterisk (\*\*) preceding the description indicates that this item is subordinate to the preceding single asterisk item.

**DEC Part No.** - Lists the Digital/Vendor part number. The letter in the column heading indicates the current revision level of the Engineering Drawing for the referenced figure.

**ECO Cut-In** - Lists the top assembly drawing number and revision level at first printing. All additional revisions to an item are listed in this column.

**Used On Code** - Lists letters referring to the product variation assigned in Figure 1. When this column is blank, the item is used in all variations.

**Ref Fig No.** - Lists a cross reference between figures within the IPB.

## PART NUMBER/PART DESCRIPTION INDEX SECTION

Lists items by part number numerically, and description alphabetically. Items are also referenced to a location within the IPB by figure and item number.

| REVISION HISTORY |                   |                            | RELATED IPB INFORMATION                                                                         |
|------------------|-------------------|----------------------------|-------------------------------------------------------------------------------------------------|
| PRINTING         | ECO LEVEL         |                            | <b>ENCLOSURE LEVEL:</b><br><b>EK-440AB-IP</b><br><br><b>MASS STORAGE:</b><br><b>EK-441AC-IP</b> |
| 2nd Printing     | 660QH<br>70-25775 | 00000-00004<br>00006-00008 |                                                                                                 |
| DATE             |                   |                            |                                                                                                 |
| 14-FEB-92        |                   |                            |                                                                                                 |

Digital Equipment Corporation reserves the right, without notice, to make substitutions and modifications in the specifications of products documented in this manual and further reserves the right to withdraw any of these products from the market without notice.

Digital Equipment Corporation is not responsible for errors which may appear in the technical description (including illustrations and photographs) of the products covered by this manual.

None of the descriptions contained in this manual imply the granting of any license whatsoever to make, use or sell equipment constructed in accordance therewith.

Restricted Rights: Use, duplication or disclosure by the U.S. Government is subject to restrictions as set forth in subparagraph (c) (1) (ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-2713.

Copyright © 1990, 1992 by Digital Equipment Corporation. All rights reserved.  
Printed in U.S.A.


The postage-paid READER'S COMMENTS form on the last page of this document requests your critical evaluation to assist us in preparing future documentation.

The following are trademarks of Digital Equipment Corporation :

---

DEC, DECdirect, DECUS, PDP, rtVAX, UNIBUS, VAX, VAXserver, and the DIGITAL logo.


Velcro is a registered trademark of Velcro USA, Inc.



660QH-01-SC

**Figure 1. 660QH Pedestal System (Sheet 1 of 2)**

☐ ☐ INDICATES FRU LEVEL PARTS.



660QH-01A-SC


Figure 1. 660QH Pedestal System (Sheet 2 of 2)

PARTS LIST

| FIG. &<br>ITEM<br>NO. | DESCRIPTION                                                                     | DEC<br>PART NO. | F<br>ECO<br>CUT-IN<br>660QH<br>00000 | USED<br>ON<br>CODE | REF<br>FIG<br>NO. |
|-----------------------|---------------------------------------------------------------------------------|-----------------|--------------------------------------|--------------------|-------------------|
| 1-                    | 660QH PEDESTAL SYSTEM                                                           |                 |                                      |                    |                   |
|                       | Code A - Used on 660QH-A9 120/240V<br>(w/o Skins) 16MB Timeshare                | 660QH-A9        |                                      | A                  |                   |
|                       | Code B - Used on 660QH-B9 120/240V (w/Skins)<br>16MB Timeshare                  | 660QH-B9        |                                      | B                  |                   |
|                       | Code C - Used on 660QH-C9 120/240V<br>(w/o Skins) 16MB Server                   | 660QH-C9        |                                      | C                  |                   |
|                       | Code D - Used on 660QH-D9 120/240V (w/Skins)<br>16MB Server                     | 660QH-D9        |                                      | D                  |                   |
|                       | Code E - Used on 660QH-E9 120/240V<br>(w/o Skins) 32MB Timeshare (added)        | 660QH-E9        | 00005                                | E                  |                   |
|                       | Code F - Used on 660QH-F9 120/240V (w/Skins)<br>32MB Timeshare (added)          | 660QH-F9        | 00005                                | F                  |                   |
| 1                     | *Chassis Assembly, BA430 (See IPB Manual<br>EK-440AB-IP)                        | 70-27437-01     |                                      | ACE                |                   |
| 2                     | *Chassis Assembly, BA430 (See IPB Manual<br>EK-440AB-IP)                        | 70-27437-02     |                                      | BDF                |                   |
| 3                     | *Control Assembly, System (See IPB Manual<br>EK-440AB-IP)                       | 70-27044-01     |                                      |                    |                   |
| 4                     | *BULKHEAD ASSEMBLY, H3602 CONSOLE                                               | 70-25775-01     | 00004                                |                    | 2                 |
| 5                     | *Module, MicroVAX CPU (Time Share)                                              | M7626-AA        |                                      | ABEF               |                   |
| 6                     | *Label, "Module Number M7626-AA"                                                | 36-26883-A6     |                                      | AB                 |                   |
| 7                     | *Module, MicroVAX CPU (Server)                                                  | M7626-BA        |                                      | CD                 |                   |
| 8                     | *Label, "Module Number M7626-BA"                                                | 36-26883-A7     |                                      | CD                 |                   |
| 9                     | *Module, 16MB RAM Memory                                                        | MS650-BA        |                                      |                    |                   |
| 10                    | *Label, "Module Number MS650-BA"                                                | 36-26883-43     |                                      | ABCD               |                   |
| 11                    | *Encoder Set, Lens (DSSI Unit ID Plug)                                          | 12-28766-19     |                                      | ABCD               |                   |
| 12                    | *Encoder Set, Lens (SCSI Unit ID Plug) (deleted)                                | 12-28766-28     | 00004                                |                    |                   |
| 13                    | *Connector, DSSI Terminator                                                     | 12-29258-01     |                                      |                    |                   |
| 14                    | *Tee, BNC Coaxial                                                               | 12-25869-01     |                                      |                    |                   |
| 15                    | *Connector, BNC Coaxial                                                         | 12-26318-01     |                                      |                    |                   |
| 16                    | *Cable Assembly, 06 Conductor                                                   | 17-01364-02     |                                      |                    |                   |
| 17                    | *Cover, 50-Pin IDC Connector                                                    | 12-33377-01     |                                      |                    |                   |
| 18                    | *Strap, Ground w/Label                                                          | 12-13756-A8     |                                      |                    |                   |
| 19                    | *Label, "BA2XX Rev" (Sheeted)                                                   | 36-29164-07     |                                      |                    |                   |
| 20                    | *Label, "S-Box Module Utilization" (Not Shown)<br>(deleted)                     | 36-27923-01     | 00004                                |                    |                   |
| 21                    | *Documentation, VAX 4000 Installation Checklist<br>(Not Shown)                  | EK-V400H-IN     | 00003                                |                    |                   |
| 22                    | *Label, "VAX 4000 FTZ Postcard" (Not Shown)<br>(deleted)                        | 36-30422-52     | 00002                                |                    |                   |
| 23                    | *Cable Assembly, 50 Conductor Molded Shielded<br>(BC06P-2F) (2.5 Ft.) (deleted) | 17-02659-03     | 00004                                |                    |                   |
| 24                    | *Bulkhead Assembly, Blank                                                       | 70-28083-02     |                                      |                    |                   |

| FIG. &<br>ITEM<br>NO. | DESCRIPTION                                                                         | DEC<br>PART NO. | ECO<br>CUT-IN<br>660QH<br>00000 | USED<br>ON<br>CODE | REF<br>FIG<br>NO. |
|-----------------------|-------------------------------------------------------------------------------------|-----------------|---------------------------------|--------------------|-------------------|
| 25                    | *Bag, 2 Mil Thick, Clear Poly Reclose<br>(Not Shown)                                | 99-06557-30     |                                 |                    |                   |
| 26                    | *Strip, Color                                                                       | 74-40914-01     |                                 | BDF                |                   |
| 27                    | *Medallion, Model VAX 4000-200                                                      | 74-40913-04     |                                 | BF                 |                   |
| 28                    | *Label, "Logo/Model VAX 4000-200"                                                   | 36-33152-03     |                                 | ABEF               |                   |
| 29                    | *Medallion, Model rtVAX 4000-200                                                    | 74-40913-05     |                                 | D                  |                   |
| 30                    | *Label, "Logo/Model rtVAX 4000-200"                                                 | 36-33152-04     |                                 | CD                 |                   |
| 31                    | *Medallion, VAXserver 4000-200                                                      | 74-40913-06     |                                 | D                  |                   |
| 32                    | *Label, "Logo/Model VAXserver 4000-200"                                             | 36-33152-06     |                                 | CD                 |                   |
| 33                    | *Cable Assembly, 50 Conductor Flat (1-2 Mem)                                        | 17-01898-01     |                                 |                    |                   |
| 34                    | *Cable Assembly, 50 Conductor Flat (4 Mem)                                          | 17-01898-03     |                                 |                    |                   |
| 35                    | *Bezel Assembly, Disk Drive                                                         | 70-27049-02     |                                 |                    |                   |
| 36                    | *Bulkhead Assembly, Front                                                           | 70-23981-01     |                                 |                    |                   |
| 37                    | *Panel Assembly, Gap Filler                                                         | 70-24071-01     |                                 |                    |                   |
| 38                    | *Bezel Assembly, Filler                                                             | 70-27414-01     |                                 |                    |                   |
| 39                    | *Power Cord, 120V 10A (2.5M) (BN20A-2E)<br>(US/Japan/Canada) (Not Shown) (See Note) | 17-00083-43     |                                 |                    |                   |
| 40                    | *Label, "BA2XX Rev" (Rolled)                                                        | 36-29163-07     |                                 |                    |                   |
| 41                    | *Label, "Serial/Model BA440, US"                                                    | 36-32668-01     |                                 |                    |                   |
| 42                    | *Label, "Serial/Model BA440, UK"                                                    | 36-32668-02     |                                 |                    |                   |
| 43                    | *Label, Pedestal, BA400 Series, US"                                                 | 36-32667-05     |                                 | BDF                |                   |
| 44                    | *Label, Pedestal, BA400 Series, UK"                                                 | 36-32667-06     |                                 | BDF                |                   |
| 45                    | *Package Assembly (Not Shown)                                                       | 37-01072-07     |                                 | BDF                |                   |
| 46                    | *Package Assembly (Not Shown)                                                       | 37-01072-08     |                                 | ACE                |                   |
| 47                    | *Label, "Attention Preinstalled Software" (added)<br>(Not Shown)                    | 36-28979-01     | 00004                           |                    |                   |
| 48                    | *Module, QBUS Grant Continuity Kit (added)<br>(Not Shown)                           | M9047-SA        | 00004                           |                    |                   |
| 49                    | *Label, "Pedestal, BA400 Series, KA660" (added)                                     | 36-32667-16     | 00004                           | BDF                |                   |
| 50                    | *Label, "Serial/Model BA440, Made in Canada"<br>(added)                             | 36-32668-03     | 00004                           |                    |                   |
| 51                    | *Cap, Protector DSSI Port (added) (Not Shown)                                       | 12-33902-01     | 00002                           |                    |                   |
| 52                    | *Module, 32MB RAM Memory (added)                                                    | MS650-BC        | 00005                           |                    |                   |
| 53                    | *Label, "Module Number MS650-BC" (added)                                            | 36-26883-C5     | 00005                           |                    |                   |
| 54                    | *Label, "Japan PTT" (added)                                                         | 36-33180-18     | 00005                           |                    |                   |
|                       | FRU's (Not Shown)                                                                   |                 |                                 |                    |                   |
|                       | *Backplane Assembly                                                                 | 54-20181-01     |                                 |                    |                   |
|                       | *Power Supply Assembly                                                              | H7874-00        |                                 |                    |                   |
|                       | NOTE: Reference Index For 240V Power Cords.                                         |                 |                                 |                    |                   |

☞ ☞ INDICATES FRU LEVEL PARTS.



660QH-02-SC

**Figure 2. Bulkhead Assembly, H3602 Module**



# **PART NUMBER/DESCRIPTION INDEX**



# **INDEX BY DEC PART NUMBER** **660QH PEDESTAL SYSTEM**

| <b>PART NO.</b> | <b>DESCRIPTION</b>                                                      | <b>FIG<br/>NO.</b> | <b>ITEM<br/>NO.</b> |
|-----------------|-------------------------------------------------------------------------|--------------------|---------------------|
| 12-13756-A8     | Strap, Ground w/Label                                                   |                    | 18                  |
| 12-18489-03     | Latch Assembly, 15-Pin Slide w/o Hardware                               |                    | 4                   |
| 12-18489-04     | Latch Assembly, 2 Piece Slide w/Hardware                                |                    | 3                   |
| 12-19245-01     | Battery, 3 Cell 3.75V .18ma Nicad<br>(-01 Replacement For -00)          | 2                  | 6                   |
| 12-25869-01     | Tee, BNC Coaxial                                                        | 1                  | 14                  |
| 12-26318-01     | Connector, BNC Coaxial                                                  | .                  | 15                  |
| 12-26595-02     | Tape, Velcro®                                                           | 2                  | 7                   |
| 12-28766-19     | Encoder Set, Lens (DSSI Unit ID Plug)                                   | 1                  | 11                  |
| 12-28766-28     | Encoder Set, Lens (SCSI Unit ID Plug) (deleted)                         | 1                  | 2                   |
| 12-29258-01     | Connector, DSSI Terminator                                              | 1                  | 13                  |
| 12-33377-01     | Cover, 50-Pin IDC Connector                                             | 1                  | 17                  |
| 12-33902-01     | Cap. Protector DSSI Port (added)                                        | 1                  | Not Shown           |
| 17-00083-43     | Power Cord, 120V 10A (2.5M) (BN20A-2E)<br>(US/Japan/Canada) (Not Shown) | 1                  | 39                  |
| 17-00083-44     | Power Cord, 240V 10A (2.5M) (BN20B-2E)<br>(US/Japan/Canada)             | 1                  | Not Shown           |
| 17-00198-11     | Power Cord, 240V 10A (2.5M) (BN22C-2E)<br>(Australia/New Zealand)       | 1                  | Not Shown           |
| 17-00199-16     | Power Cord, 240V 10A (2.5M) (BN22D-2E)<br>(Central Europe)              | 1                  | Not Shown           |
| 17-00209-13     | Power Cord, 240V 10A (2.5M) (BN22E-2E)<br>(UK/Ireland)                  | 1                  | Not Shown           |
| 17-00210-10     | Power Cord, 240V 10A (2.5M) (BN22F-2E)<br>(Switzerland)                 | 1                  | Not Shown           |
| 17-00310-10     | Power Cord, 240V 10A (2.5M) (BN22H-2E)<br>(Denmark)                     | 1                  | Not Shown           |
| 17-00364-13     | Power Cord, 240V 10A (2.5M) (BN22J-2E)<br>(Italy)                       | 1                  | Not Shown           |
| 17-00456-13     | Power Cord, 240V 10A (2.5M) (BN22K-2E)<br>(India/S. Africa)             | 1                  | Not Shown           |
| 17-00457-13     | Power Cord, 240V 10A (2.5M) (BN22L-2E)<br>(Israel)                      | 1                  | Not Shown           |
| 17-01032-03     | Cable Assembly, 40 Conductor Flat                                       | 2                  | 5                   |
| 17-01364-02     | Cable Assembly, 06 Conductor                                            | 1                  | 16                  |
| 17-01898-01     | Cable Assembly, 50 Conductor Flat (1-2 Mem.)                            | 1                  | 33                  |
| 17-01898-03     | Cable Assembly, 50 Conductor Flat (4 Mem.)                              | 1                  | 34                  |
| 17-02659-03     | Cable Assembly, 50 Conductor Molded Shielded<br>(BC06P-2F) (2.5 Ft.)    | 1                  | 23                  |
| 36-26584-01     | Label, "Baud Select"                                                    | 2                  | 11                  |
| 36-26883-43     | Label, "Module Number MS650-BA"                                         | 1                  | 10                  |
| 36-26883-A6     | Label, "Module Number M7626-AA"                                         | 1                  | 6                   |
| 36-26883-A7     | Label, "Module Number M7626-BA"                                         | 1                  | 8                   |
| 36-26883-C5     | Label, "Module Number MS650-BC" (added)                                 | 1                  | 53                  |
| 36-27923-01     | Label, "S-Box Module Utilization" (deleted)                             | 1                  | 20                  |
| 36-28231-08     | Label, "Direct Thermal"                                                 | 2                  | Not Shown           |
| 36-28979-01     | Label, "Attention Preinstalled Software" (added)                        | 1                  | Not Shown           |
| 36-29163-07     | Label, "BA2XX Rev" (Rolled)                                             | 1                  | 40                  |
| 36-29164-07     | Label, "BA2XX Rev" (Sheeted)                                            | 1                  | 19                  |
| 36-30422-52     | Label, "VAX 4000 FTZ Postcard" (Not Shown)                              | 1                  | 22                  |
| 36-32687-05     | Label, "Pedestal, BA400 Series, US"                                     | 1                  | 43                  |
| 36-32687-06     | Label, "Pedestal, BA400 Series, UK"                                     | 1                  | 44                  |
| 36-33180-18     | Label, "Japan PTT" (added)                                              | 1                  | 54                  |

**INDEX BY DEC PART NUMBER**  
**660QH PEDESTAL SYSTEM**

| <b>PART NO.</b> | <b>DESCRIPTION</b>                                   | <b>FIG NO.</b> | <b>ITEM NO.</b> |
|-----------------|------------------------------------------------------|----------------|-----------------|
| 36-32667-16     | Label, "Pedestal, BA400, Series, KA660" (added)      | 1              | 49              |
| 36-32668-01     | Label, "Serial/Model BA440, US"                      | 1              | 41              |
| 36-32668-02     | Label, "Serial/Model BA440, UK"                      | 1              | 42              |
| 36-32668-03     | Label, "Serial/Model BA440, Made in Canada" (added)  | 1              | 50              |
| 36-33152-03     | Label, "Logo/Model VAX 4000-200"                     | 1              | 28              |
| 36-33152-04     | Label, "Logo/Model rtVAX 4000-200"                   | 1              | 30              |
| 36-33152-06     | Label, "Logo/Model VAXserver 4000-200"               | 1              | 32              |
| 37-00983-12     | Package Assembly                                     | 2              | Not Shown       |
| 37-01072-07     | Package Assembly (Not Shown)                         | 1              | 45              |
| 37-01072-08     | Package Assembly (Not Shown)                         | 1              | 46              |
| 54-17381-03     | Module, SLU Console                                  | 2              | 2               |
| 54-20181-01     | Backplane Assembly                                   | 1              | Not Shown       |
| 660QH-A9        | 660QH-A9 120/240V (w/o Skins) 16MB Timeshare         | 1              | N/A             |
| 660QH-B9        | 660QH-B9 120/240V (w/Skins) 16MB Timeshare           | 1              | N/A             |
| 660QH-C9        | 660QH-C9 120/240V (w/o Skins) 16MB Server            | 1              | N/A             |
| 660QH-D9        | 660QH-D9 120/240V (w/Skins) 16MB Server              | 1              | N/A             |
| 660QH-E9        | 660QH-E9 120/240V (w/o Skins) 32MB Timeshare (added) | 1              | N/A             |
| 660QH-F9        | 660QH-F9 120/240V (w/Skins) 32MB Timeshare (added)   | 1              | N/A             |
| 70-23981-01     | Bulkhead Assembly, Front                             | 1              | 36              |
| 70-23982-14     | Bulkhead Assembly, Front Dual                        | 2              | 1               |
| 70-24071-01     | Panel Assembly, Gap Filler                           | 1              | 37              |
| 70-25775-01     | BULKHEAD ASSEMBLY, H3602 MODULE                      | 2              | N/A             |
| 70-25775-01     | BULKHEAD ASSEMBLY, H3602 CONSOLE                     | 1              | 4               |
| 70-27044-01     | Control Assembly, System                             | 1              | 3               |
| 70-27049-02     | Bezel Assembly, Disk Drive                           | 1              | 35              |
| 70-27414-01     | Bezel Assembly, Filler                               | 1              | 38              |
| 70-27437-01     | Chassis Assembly, BA430                              | 1              | 1               |
| 70-27437-02     | Chassis Assembly, BA430                              | 1              | 2               |
| 70-28083-02     | Bulkhead Assembly, Blank                             | 1              | 24              |
| 74-37167-02     | Insulator, Shield                                    | 2              | 8               |
| 74-40913-04     | Medallion, Model VAX 4000-200                        | 1              | 27              |
| 74-40913-05     | Medallion, Model rtVAX 4000-200                      | 1              | 29              |
| 74-40913-06     | Medallion, VAXserver 4000-200                        | 1              | 31              |
| 74-40914-01     | Strip, Color                                         | 1              | 26              |
| 90-00037-05     | Washer, Internal Tooth Lock No. 6 (Bronze)           | 2              | 13              |
| 90-00063-02     | Screw, Self-Tap Truss Hd No. 4-40 x 5/16             | 2              | 14              |
| 90-00063-78     | Screw, Self-Tap Truss Hd No. 6 x 5/16                | 2              | 9               |
| 90-06659-00     | Washer, Flat (deleted)                               | 2              | 10              |
| 90-10563-01     | Nut, Hex No. 1/2-28                                  | 2              | 12              |
| 99-06557-30     | Bag, 2 Mil Thick, Clear Poly Reclose (Not Shown)     | 1              | 25              |
| EK-V4000-IN     | Documentation, VAX 4000 Installation Checklist       | 1              | Not Shown       |
| H7874-00        | Power Supply Assembly                                | 1              | Not Shown       |
| M7626-AA        | Module, MicroVAX CPU (Time Share)                    | 1              | 5               |
| M7626-BA        | Module, MicroVAX CPU (Server)                        | 1              | 7               |
| M9047-SA        | Module, QBUS Grant Continuity Kit (added)            | 1              | Not Shown       |
| MS650-BA        | Module, 16MB RAM Memory                              | 1              | 9               |
| MS650-BC        | Module, 32MB RAM Memory                              | 1              | 52              |

**INDEX BY DEC PART DESCRIPTION  
660QH PEDESTAL SYSTEM**

| DESCRIPTION                                                          | DEC<br>PART NO. | FIG.<br>NO. | ITEM<br>NO. |
|----------------------------------------------------------------------|-----------------|-------------|-------------|
| 660QH PEDESTAL SYSTEM                                                | N/A             | 1           | N/A         |
| 660QH-A9 120/240V (w/o Skins) 16MB Timeshare                         | 660QH-A9        | 1           | N/A         |
| 660QH-B9 120/240V (w/Skins) 16MB Timeshare                           | 660QH-B9        | 1           | N/A         |
| 660QH-C9 120/240V (w/o Skins) 16MB Server                            | 660QH-C9        | 1           | N/A         |
| 660QH-D9 120/240V (w/Skins) 16MB Server                              | 660QH-D9        | 1           | N/A         |
| 660QH-E9 120/240V (w/o Skins) 32MB Timeshare (added)                 | 660QH-E9        | 1           | N/A         |
| 660QH-F9 120/240V (w/Skins) 32MB Timeshare (added)                   | 660QH-F9        | 1           | N/A         |
| Backplane Assembly                                                   | 54-20181-01     | 1           | Not Shown   |
| Bag, 2 Mil Thick, Clear Poly Reclose (Not Shown)                     | 99-06557-30     | 1           | 25          |
| Battery, 3 Cell 3.75V .18ma Nicad<br>(-01 Replacement For -00)       | 12-19245-01     | 2           | 6           |
| Bezel Assembly, Disk Drive                                           | 70-27049-02     | 1           | 35          |
| Bezel Assembly, Filler                                               | 70-27414-01     | 1           | 38          |
| Bulkhead Assembly, Blank                                             | 70-28083-02     | 1           | 24          |
| Bulkhead Assembly, Front                                             | 70-23981-01     | 1           | 36          |
| Bulkhead Assembly, Front Dual                                        | 70-23982-14     | 2           | 1           |
| BULKHEAD ASSEMBLY, H3602 CONSOLE                                     | 70-25775-01     | 1           | 4           |
| BULKHEAD ASSEMBLY, H3602 MODULE                                      | 70-25775-01     | 2           | N/A         |
| Cable Assembly, 06 Conductor                                         | 17-01364-02     | 1           | 16          |
| Cable Assembly, 40 Conductor Flat                                    | 17-01032-03     | 2           | 5           |
| Cable Assembly, 50 Conductor Flat (1-2 Mem.)                         | 17-01898-01     | 1           | 33          |
| Cable Assembly, 50 Conductor Flat (4 Mem.)                           | 17-01898-03     | 1           | 34          |
| Cable Assembly, 50 Conductor Molded Shielded<br>(BC06P-2F) (2.5 Ft.) | 17-02659-03     | 1           | 23          |
| Cap, Protector DSSI Port (added)                                     | 12-33902-01     | 1           | Not Shown   |
| Chassis Assembly, BA430                                              | 70-27437-02     | 1           | 2           |
| Chassis Assembly, BA430                                              | 70-27437-01     | 1           | 1           |
| Connector, BNC Coaxial                                               | 12-26318-01     | 1           | 15          |
| Connector, DSSI Terminator                                           | 12-29258-01     | 1           | 13          |
| Control Assembly, System                                             | 70-27044-01     | 1           | 3           |
| Cover, 50-Pin IDC Connector                                          | 12-33377-01     | 1           | 17          |
| Documentation, VAX 4000 Installation Checklist<br>(Not Shown)        | EK-V4000-IN     | 1           | 21          |
| Encoder Set, Lens (DSSI Unit ID Plug)                                | 12-28766-19     | 1           | 11          |
| Encoder Set, Lens (SCSI Unit ID Plug) (deleted)                      | 12-28766-28     | 1           | 12          |
| Insulator, Shield                                                    | 74-37167-02     | 2           | 8           |
| Label, "Attention Preinstalled Software" (added)                     | 36-28979-01     | 1           | Not Shown   |
| Label, "BA2XX Rev" (Rolled)                                          | 36-29163-07     | 1           | 40          |
| Label, "BA2XX Rev" (Sheeted)                                         | 36-29164-07     | 1           | 19          |
| Label, "Baud Select"                                                 | 36-26584-01     | 2           | 11          |
| Label, "Direct Thermal"                                              | 36-28231-08     | 2           | Not Shown   |
| Label, "Japan PTT" (added)                                           | 36-33180-18     | 1           | 54          |
| Label, "Logo/Model rtVAX 4000-200"                                   | 36-33152-04     | 1           | 30          |
| Label, "Logo/Model VAX 4000-200"                                     | 36-33152-03     | 1           | 28          |
| Label, "Logo/Model VAXserver 4000-200"                               | 36-33152-06     | 1           | 32          |
| Label, "Module Number M7626-AA"                                      | 36-26883-A6     | 1           | 6           |
| Label, "Module Number M7626-BA"                                      | 36-26883-A7     | 1           | 8           |
| Label, "Module Number MS650-BA"                                      | 36-26883-43     | 1           | 10          |
| Label, "Module Number MS650-BC" (added)                              | 36-26883-C5     | 1           | 53          |
| Label, "S-Box Module Utilization" (Not Shown) (deleted)              | 36-27923-01     | 1           | 20          |
| Label, "Serial/Model BA440, Made in Canada" (added)                  | 36-32668-03     | 1           | 50          |
| Label, "Serial/Model BA440, UK"                                      | 36-32668-02     | 1           | 42          |

**INDEX BY DEC PART DESCRIPTION  
660QH PEDESTAL SYSTEM**

| DESCRIPTION                                                             | DEC<br>PART NO. | FIG.<br>NO. | ITEM<br>NO. |
|-------------------------------------------------------------------------|-----------------|-------------|-------------|
| Label, "Serial/Model BA440, US"                                         | 36-32668-01     | 1           | 41          |
| Label, "VAX 4000 FTZ Postcard" (Not Shown)                              | 36-30422-52     | 1           | 22          |
| Label, "Pedestal, BA400 Series, UK"                                     | 36-32667-06     | 1           | 44          |
| Label, "Pedestal, BA400 Series, US"                                     | 36-32667-05     | 1           | 43          |
| Label, "Pedestal, BA400 Series, KA660" (added)                          | 36-32667-16     | 1           | 49          |
| Latch Assembly, 15-Pin Slide w/o Hardware                               | 12-18489-03     | 2           | 4           |
| Latch Assembly, 2 Piece Slide w/Hardware                                | 12-18489-04     | 2           | 3           |
| Medallion, Model rtVAX 4000-200                                         | 74-40913-05     | 1           | 29          |
| Medallion, Model VAX 4000-200                                           | 74-40913-04     | 1           | 27          |
| Medallion, VAXserver 4000-200                                           | 74-40913-06     | 1           | 31          |
| Module, 16MB RAM Memory                                                 | MS650-BA        | 1           | 9           |
| Module, 32MB RAM Memory (added)                                         | MS650-BC        | 1           | 52          |
| Module, MicroVAX CPU (Server)                                           | M7626-BA        | 1           | 7           |
| Module, MicroVAX CPU (Time Share)                                       | M7626-AA        | 1           | 5           |
| Module, QBUS Grant Continuity Kit (added)                               | M9047-SA        | 1           | Not Shown   |
| Module, SLU Console                                                     | 54-17381-03     | 2           | 2           |
| Nut, Hex No. 1/2-28                                                     | 90-10563-01     | 2           | 12          |
| Package Assembly                                                        | 37-00983-12     | 2           | Not Shown   |
| Package Assembly (Not Shown)                                            | 37-01072-08     | 1           | 46          |
| Package Assembly (Not Shown)                                            | 37-01072-07     | 1           | 45          |
| Panel Assembly, Gap Filler                                              | 70-24071-01     | 1           | 37          |
| Power Cord, 120V 10A (2.5M) (BN20A-2E)<br>(US/Japan/Canada) (Not Shown) | 17-00083-43     | 1           | 39          |
| Power Cord, 240V 10A (2.5M) (BN20B-2E)<br>(US/Japan/Canada)             | 17-00083-44     | 1           | Not Shown   |
| Power Cord, 240V 10A (2.5M) (BN22C-2E)<br>(Australia/New Zealand)       | 17-00198-11     | 1           | Not Shown   |
| Power Cord, 240V 10A (2.5M) (BN22D-2E)<br>(Central Europe)              | 17-00199-16     | 1           | Not Shown   |
| Power Cord, 240V 10A (2.5M) (BN22E-2E)<br>(UK/Ireland)                  | 17-00209-13     | 1           | Not Shown   |
| Power Cord, 240V 10A (2.5M) (BN22F-2E)<br>(Switzerland)                 | 17-00210-10     | 1           | Not Shown   |
| Power Cord, 240V 10A (2.5M) (BN22H-2E)<br>(Denmark)                     | 17-00310-10     | 1           | Not Shown   |
| Power Cord, 240V 10A (2.5M) (BN22J-2E)<br>(Italy)                       | 17-00364-13     | 1           | Not Shown   |
| Power Cord, 240V 10A (2.5M) (BN22K-2E)<br>(India/S. Africa)             | 17-00456-13     | 1           | Not Shown   |
| Power Cord, 240V 10A (2.5M) (BN22L-2E)<br>(Israel)                      | 17-00457-13     | 1           | Not Shown   |
| Power Supp'y Assembly                                                   | H7874-00        | 1           | Not Shown   |
| Screw, Self-Tap Truss Hd No. 4-40 x 5/16                                | 90-00063-02     | 2           | 14          |
| Screw, Self-Tap Truss Hd No. 6 x 5/16                                   | 90-00063-78     | 2           | 9           |
| Strap, Ground w/Label                                                   | 12-13756-A8     | 1           | 18          |
| Strip, Color                                                            | 74-40914-01     | 1           | 26          |
| Tape, Velcro®                                                           | 12-26595-02     | 2           | 7           |
| Tee, BNC Coaxial                                                        | 12-25869-01     | 1           | 14          |
| Washer, Flat (deleted)                                                  | 90-06659-00     | 2           | 10          |
| Washer, Internal Tooth Lock No. 6 (Bronze)                              | 90-00037-05     | 2           | 13          |